



Roka Super Plast PC

Low Dosage Super Plasticizer for Concrete

Roka Super Plast PC is a polycarboxylate based plasticizer which produces highly fluid concrete for easier and faster placement. It reduces water requirement in concrete up to 30% while maintaining the workability and the concrete strength.

Uses & Advantages:

- Low water cement ratio.
- Increased workability.
- Easier and faster pumping of concrete.
- High early or high ultimate strengths.
- Greater impermeability.
- Improved resistance to sulphate attacks.
- Improved appearance of architectural concrete.
- Chloride free.

Recommended Usage:

Roka Super Plast PC contains no calcium chlorides and is suitable for all kinds of concretes especially concretes containing pozzolanic materials such as fly ash, silica fume and slag.



+92 321 4543320



info@rokachemsolutions.com



rokachemsolutions.com



83 A, Block C, PAF Colony, Zarar
Shaheed Road, Lahore Cantt, Pakistan



Technical Information:

Specific Gravity	1.10
Air Content	> 3%
Chloride Content	Nil
Alkali Content	Typically, 72g Na ₂ O
Shelf Life	12 months if kept in recommended conditions
Storage Conditions	Should be kept from freezing. If accidentally frozen, its properties can be restored by thawing and thoroughly remixing.

Dosage:

The recommended dosage of Roka Super Plast PC varies from 0.3 to 0.8 liters per 100 kg of cementitious material. It is recommended to always run trial mixes to determine the required dosage for optimum results.

Directions for Use:

Introduce Roka Super Plast PC at the end of the mixing process. Roka Plast PC maintains its super plasticized consistency for up to 90 minutes depending on the environmental and on site conditions.



+92 321 4543320



info@rokachemsolutions.com



rokachemsolutions.com



83 A, Block C, PAF Colony, Zarar
Shaheed Road, Lahore Cantt, Pakistan



Important Note:

The information provided in this data sheet is based on ongoing development efforts and extensive field experience. While we strive to ensure the accuracy and reliability of the information, we cannot assume responsibility for any work performed using our materials, as we have no control over application methods, site conditions, and other factors. Due to ongoing research and development in our laboratories, we recommend that customers verify that this data sheet has not been replaced by a more recent publication.

All products are sold under our standard conditions of sale, which are available upon request. Any field services offered do not imply supervisory responsibility. For further information, please contact your local representative of Roka Chem Solutions.



+92 321 4543320



info@rokachemsolutions.com



rokachemsolutions.com



83 A, Block C, PAF Colony, Zarar
Shaheed Road, Lahore Cantt, Pakistan