



## Roka Water Stopper

### Flexible PVC Water Stop to Seal Construction & Water Joints

Roka Water Stopper is a flexible PVC Profile to seal construction and water joints in water retaining structures such as dams, canals, swimming pools etc.

#### Uses & Advantages:

- Suitable for portable water contact.
- Forms a watertight diaphragm that prevents the passage of liquid through the joint.
- Abrasion resistant.

#### Fields of Application:

- Dams.
- Water Reservoirs.
- Swimming Pools.
- Canals.
- Water / Waste Treatment Plants.
- Tunnels.



+92 321 4543320 |



info@rokachemsolutions.com |



rokachemsolutions.com |



83 A, Block C, PAF Colony, Zarar  
Shaheed Road, Lahore Cantt, Pakistan



## Technical Information:

Tensile Strength	1800 psi min.
Elongation	350%
Shore A Hardness	80 ± 3
Tear Strength	136 kg/in min.
Low Temperature Brittleness	Passes at -37°C
Water Absorption	0.02%
Packaging	Available in various lengths
Storage	Must be kept in shaded area and protected from direct sunlight

## Application:

Roka Water Stopper must be installed before the concrete is placed to ensure proper positioning and concrete consolidation around the water stopper. All transitions, intersections, and splices should be heat welded to maintain continuity.

Specific installation depends on the area of application, surface condition and the style of profile. For any kind of information in this regard, please refer to Roka Chem Solutions representative.



+92 321 4543320



info@rokachemsolutions.com



rokachemsolutions.com



83 A, Block C, PAF Colony, Zarar  
Shaheed Road, Lahore Cantt, Pakistan



## Important Note:

The information provided in this data sheet is based on ongoing development efforts and extensive field experience. While we strive to ensure the accuracy and reliability of the information, we cannot assume responsibility for any work performed using our materials, as we have no control over application methods, site conditions, and other factors. Due to ongoing research and development in our laboratories, we recommend that customers verify that this data sheet has not been replaced by a more recent publication.

All products are sold under our standard conditions of sale, which are available upon request. Any field services offered do not imply supervisory responsibility. For further information, please contact your local representative of Roka Chem Solutions.



+92 321 4543320



info@rokachemsolutions.com



rokachemsolutions.com



83 A, Block C, PAF Colony, Zarar  
Shaheed Road, Lahore Cantt, Pakistan